

PALM INTRANET

Day: Monday Date: 4/10/2006

Time: 10:45:29

Inventor Information for 10/710493

| Inventor Name | City | State/Country |
|-----------------------|---------------|---------------|
| OISTER, MICHAEL J. | MOON TOWNSHIP | PENNSYLVANIA |
| OISTER, MICHAEL J. | SUPERIOR | COLORADO |
| DOHERTY, THOMAS M. | GOLDEN | COLORADO |
| DOHERTY, THOMAS M. | GOLDEN | COLORADO |
| BOETTCHER, WILLIAM C. | DENVER | COLORADO |
| BOETTCHER, WILLIAM C. | DENVER | COLORADO |

| | <u> </u> | | |
|------------------------------|----------|-------------|--------|
| Search Another: Application# | Search | or Patent# | Search |
| PCT / | Search | or PG PUBS# | Search |
| Attorney Docket # | | Search | |
| Bar Code # | Sear | ch | |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

| US 20060064091 A1 | US- PGPUB | 20060323 | 35 | ROD ATTACHMENT FOR HEAD TO HEAD CROSS CONNECTOR | 606/61 | | Ludwig; Steven et al. |
|-------------------------|--------------|----------|----|---|-----------|-----------------------|----------------------------------|
| US 20050273105 A1 | US- PGPUB | 20051208 | - | Bone plate and screw system allowing bi- directional assembly | 606/69 | 606/61 | Konieczynski, David D. et al. |
| US 20050240181 A1 | US- PGPUB | 20051027 | | SPINAL IMPLANT CONNECTORS | 606/61 | | Boomer, Mark C. et al. |
| US 20050228326 A1 | US- PGPUB | 20051013 | 27 | Head-to-head connector spinal fixation system | 602/19 | | Kalfas, Iain H. et al. |
| US 20050203515 A1 | US- PGPUB | 20050915 | | Bone anchor assemblies | 606/61 | | Doherty, Thomas et al. |
| US 20050176518 A1 | US- PGPUB | 20050811 | | Practice golf cage with a golf ball gathering central location | 473/197 | 473/170; 473/195 | Doherty, Thomas M. et al. |
| US 20050159750 A1 | US- PGPUB | 20050721 | | Bone anchor assemblies and methods of manufacturing bone anchor assemblies | 606/73 | 606/60; 606/72 | Doherty, Thomas |
| US 20050154393 A1 | US- PGPUB | 20050714 | | Bone anchor assemblies and methods of manufacturing bone anchor assemblies | 606/73 | 606/61 | Doherty, Thomas et al. |
| US 20050154391 A1 | US- PGPUB | 20050714 | | Bone anchor assemblies | 606/61 | | Doherty, Thomas et al. |
| US 20050095599 A1 | US- PGPUB | 20050505 | | Detection and identification of biopolymers using fluorescence quenching | 435/6 | 435/287.2; 435/7.1 | Pittaro, Richard J. et al. |
| US 20050073092 A1 | US- PGPUB | 20050407 | | Pinball game sport simulations | 273/119R | | Oister, Michael J. et al. |
| US 20050062231 A1 | US- PGPUB | 20050324 | | Convertible sport goal | 273/407 | 473/477; 473/478 | Oister, Michael J. et al. |
| US 20050035541 A1 | US- PGPUB | 20050217 | | Tabletop Game with Clear Sideboards | 273/108.1 | | Oister, Michael J. et al. |
| US 20040267264 A1 | US- PGPUB | 20041230 | | Polyaxial bone screw | 606/73 | 606/60; 606/72 | Konieczynski, David D. et al. |
| US 20040224795 A1 | US- PGPUB | 20041111 | | Apparatus and methods for facilitating set up of portable sport goals | 473/478 | 273/407 | Oister, Michael J. et al. |
| US 20040220001 | US- PGPUB | 20041104 | | Lighted sports game | 473/570 | 273/348; 273/371; | Oister, Michael J. et al. |

| | | | ·· · · · · · · · · · · · · · · · · · · | | | |
|-------------|-------|----------|--|-------------|---------------------------------------|-----------------------|
| A1 | | | | | 473/220; | |
| | | | | | 473/476; | |
| | | | | | 473/494; | |
| | | | | | 473/524; | |
| | | | | | 473/588 | |
| US | US- | 20041104 | Reinforced goal | 473/478 | 273/407 | Oister, Michael J. et |
| 20040219999 | PGPUB | | connectors | | | al. |
| A1 | | | | | | |
| US | US- | 20041007 | Tabletop game with | 273/108.1 | | Oister, Michael J. et |
| 20040195762 | PGPUB | | lighted features | | | al. |
| A1 | | | | | | |
| US | US- | 20040729 | Spinal rod approximator | 606/99 | | Rosenberg, William S. |
| 20040147936 | PGPUB | | ' '' | | | et al. |
| Al | | | | | | |
| US | US- | 20040701 | Bone plate and resilient | 606/70 | | Konieczynski, David |
| 20040127904 | PGPUB | | screw system allowing | | | D. et al. |
| A1 | 10.00 | | bi-directional assembly | | | |
| US | US- | 20040701 | Resilient bone plate and | 606/69 | · · · · · · · · · · · · · · · · · · · | Konieczynski, David |
| 20040127900 | PGPUB | 20010701 | screw system allowing | 000,05 | | D. et al. |
| A1 | TOLOD | | bi-directional assembly | | | D. et al. |
| US | US- | 20040701 | Bone plate and screw | 606/69 | 606/61 | Konieczynski, David |
| 20040127899 | PGPUB | 20040701 | system allowing bi- | 000/09 | 000/01 | D. et al. |
| A1 | FUFUB | | directional attachment | | | D. et al. |
| US | US- | 20040701 | | 272/109 | 272/109 1 | Oister Michael Lat |
| | 1 | 20040701 | Tabletop game with | 273/108 | 273/108.1; | Oister, Michael J. et |
| 20040124582 | PGPUB | | lights | | 273/108.52; | al. |
| US US | US- | 20040401 | Control in the incident | 472/476 | 273/108.54 | O'stan Mishael Lan |
| | PGPUB | 20040401 | Sport training device with radar | 473/476 | | Oister, Michael J. et |
| 20040063521 | PGPUB | | with radar | | | al. |
| US US | US- | 20040311 | Tableton como sociale | 273/108.1 | | Cister Misheel Let |
| | | 20040311 | Tabletop game with | 2/3/108.1 | | Oister, Michael J. et |
| 20040046317 | PGPUB | | reflective or light | | | al. |
| Al | 7.70 | 20040226 | transmitting surface | 0.70 (100.1 | | |
| US | US- | 20040226 | Tabletop game with | 273/108.1 | | Oister, Michael J. et |
| 20040036211 | PGPUB | | lighted features | • | | al. |
| A1 | | | | | - | |
| US | US- | 20040226 | Tabletop game with | 273/108.1 | | Oister, Michael J. et |
| 20040036210 | PGPUB | | lighted playing field | | | al. |
| A1 | | | | | | |
| US | US- | 20031204 | Sport goal | 473/478 | | Oister, Michael J. et |
| 20030224884 | PGPUB | | | | | al. |
| Al | | | | | | |
| US | US- | 20030612 | Game ball with clock | 473/570 | | Oister, Michael J. et |
| 20030109339 | PGPUB | | | | | al. |
| A1 | | | | | | |
| US | US- | 20030612 | Game ball with clock | 473/570 | | Oister, Michael J. et |
| 20030109338 | PGPUB | | | 1. | | al. |
| A1 | | | | | | |
| US | US- | 20030320 | Multiplexing capillary | 250/288 | | Apffel, James A. JR. |
| 20030052269 | PGPUB | | array for atmospheric | | • | et al. |
| A1 | | · | pressure ionization-mass | <u> </u> | | |

•

| | | | spectrometry | | | |
|-------------------------|--------------|----------|---|-----------|--|---------------------------------|
| US 20020139931 A1 | US- PGPUB | 20021003 | Integrated sample preparation, separation and introduction microdevice for inductively coupled plasma mass spectrometry | 250/288 | | Yin, Hongfeng et al. |
| US 20020049446 A1 | US- PGPUB | 20020425 | Orthopaedic rod/plate locking mechanisms and surgical methods | 606/70 | | Harkey, Haynes Louis III et al. |
| US 6945887 B2 | USPAT | 20050920 | Game ball with clock | 473/570 | 473/571 | Oister; Michael J. et al. |
| US D505472 S | USPAT | 20050524 | Golf practice target | D21/791 | D21/790 | Doherty; Thomas M. et al. |
| US 6854728 B2 | USPAT | 20050215 | Tabletop game with lighted features | 273/108.1 | 273/108.2 | Oister; Michael J. et al. |
| US D499149 S | USPAT | 20041130 | Under lit foosball table | D21/318 | D21/314 | Doherty; Thomas M. et al. |
| US D495372 S | USPAT | 20040831 | Tabletop game with a shelf | D21/318 | D21/334 | Oister; Michael J. et al. |
| US D494224 S | USPAT | 20040810 | See through tabletop game | D21/318 | | Oister; Michael J. et al. |
| US 6764456 B1 | USPAT | 20040720 | Foot massaging device | 601/121 | 601/118 | Doherty; Thomas C. |
| US D490476 S | USPAT | 20040525 | Table hockey game with clear sideboards | D21/318 | | Oister; Michael J. et al. |
| US 6723516 B1 | USPAT | 20040420 | Method for continuously detecting the presence and quantity of analytes in a flowing liquid stream | 435/7.1 | 422/82.01; 422/98; 435/6; 435/7.5; 435/969; 436/161; 436/517; 436/518 | Tom-Moy; May et al. |
| US 6658808 B1 | USPAT | 20031209 | Interlocking building module system | 52/580 | 52/579; 52/588.1; 52/589.1; 52/731.2 | Doherty; Thomas S. et al. |
| US D482417 S | USPAT | 20031118 | Basketball game | D21/702 | D21/313 | Oister; Michael J. et al. |
| US 6649908 B2 | USPAT | 20031118 | Multiplexing capillary array for atmospheric pressure ionization-mass spectrometry | 250/288 | | Apffel, Jr.; James A. et al. |
| US 6610978 B2 | USPAT | 20030826 | Integrated sample preparation, separation and introduction microdevice for inductively coupled | 250/288 | 250/281; 422/68.1 | Yin; Hongfeng et al. |

.

| | | | plasma mass | | | |
|------------------|-------|----------|---|-----------|--|-------------------------------------|
| US 6577614 B1 | USPAT | 20030610 | System and method for OTA over CDMA data channel | 370/338 | 370/352 | Cook; Charles I. et al. |
| US 6547790 B2 | USPAT | 20030415 | Orthopaedic rod/plate locking mechanisms and surgical methods | 606/61 | 606/60; 606/70 | Harkey, III; Haynes Louis et al. |
| US D470894 S | USPAT | 20030225 | Tabletop baseball game | D21/315 | | Oister; Michael J. et al. |
| US 6524315 B1 | USPAT | 20030225 | Orthopaedic rod/plate locking mechanism | 606/70 | 606/60; 606/61; 606/71 | Selvitelli; David M. et al. |
| US 6460081 B1 | USPAT | 20021001 | System and method for controlling data access | 709/225 | 709/245; 726/28; 726/29 | Doherty; Thomas P. et al. |
| US 6242735 B1 | USPAT | 20010605 | Power-modulated inductively coupled plasma spectrometry | 250/288 | 250/281 | Li; Gangqiang et al. |
| US 6240765 B1 | USPAT | 20010605 | Closed-die forging process and rotationally incremental forging press | 72/356 | 72/352 | Delgado; Hugo E. et al. |
| US 6222186 B1 | USPAT | 20010424 | Power-modulated inductively coupled plasma spectrometry | 250/288 | | Li; Gangqiang et al. |
| US 6044685 A | USPAT | 20000404 | Closed-die forging process and rotationally incremental forging press | 72/356 | 72/377 | Delgado; Hugo E. et al. |
| US 5997545 A | USPAT | 19991207 | Knee incision tensile gauge | 606/102 | 606/206 | Doherty; Thomas Vincent et al. |
| US 5564601 A | USPAT | 19961015 | Beverage dispensing machine with improved liquid chiller | 222/129.1 | 165/164; 222/146.6; 62/185; 62/389 | Cleland; Robert K. et al. |
| US 5535754 A | USPAT | 19960716 | Endoscopic biopsy forceps - disposable | 600/564 | 606/205; 606/208 | Doherty; Thomas E. |
| US 5449023 A | USPAT | 19950912 | Multi-fluid flow control device | 137/597 | 137/607; 137/625.48; 137/630.22 | Cleland; Robert K. et al. |
| US 5306644 A | USPAT | 19940426 | Mass sensor method for measuring analytes in a sample | 436/149 | 310/311; 310/312; 422/68.1; 422/82.01; 436/151; 73/61.45; 73/61.49 | Myerholtz; Carl A. et al. |
| US 4887612 A | USPAT | 19891219 | Endoscopic biopsy forceps | 600/564 | 294/116; 294/61; | Esser; Theodor et al. |

| | | · · | | | (00/5/2) | |
|-------------|----------|----------|---------------------------|---------|-------------|-----------------------|
| | | | | | 600/562; | |
| | | | | | 606/174; | |
| | | | | | 606/208 | |
| US 4450987 | USPAT | 19840529 | Portion control liquid | 222/641 | 222/105; | Boettcher; William C. |
| Α | | | dispenser | | 222/146.6; | et al. |
| . <u> </u> | | | | | 222/504 | |
| US RE31293 | USPAT | 19830628 | Machine for producing a | 493/11 | 493/112; | Amberg; Stephen W. |
| E | | | plastic-covered glass | | 493/303; | et al. |
| | | | container | | 493/306 | |
| US 4385713 | USPAT | 19830531 | Helical vending machine | 221/75 | 221/241 | Boettcher; William C. |
| Α | | | with pivot rod | | | |
| | | | adjustment | | | |
| US 4369896 | USPAT | 19830125 | Helical vending machine | 221/75 | 221/242 | Boettcher; William C. |
| Α | | | with pivot panel | | | ĺ |
| | | | adjustment | | | |
| US 4363422 | USPAT | 19821214 | Helical vending machine | 221/75 | 221/242 | Boettcher; William C. |
| A | 001111 | 13021211 | with expansible divider | 221,73 | 221, 212 | Boottoner, withani C. |
| US 4312460 | USPAT | 19820126 | Helical vending machine | 221/75 | 221/242 | Boettcher; William C. |
| A | OSIAI | 17020120 | Tienear vending machine | 221773 | 2217242 | Doctioner, william C. |
| US 4281979 | USPAT | 19810804 | Apparatus to form a flat- | 425/391 | 264/230; | Doherty; Thomas E. et |
| A | USIAI | 19010004 | topped rim on a thin- | 423/391 | 264/296; | al. |
| Α | | | walled foam plastic | | 1 | ai. |
| | | | container | | 264/321; | |
| | | | container | | 264/DIG.71; | |
| | | | | | 425/319; | |
| | | | | | 425/393; | · |
| 110 4250000 | LICDAT | 10010221 | V | 221/75 | 425/817R | D4-1 W'll' C |
| US 4258860 | USPAT | 19810331 | Vending machine with | 221/75 | | Boettcher; William C. |
| Α | | | adjustable divider in | | | |
| TIO 4100051 | TIODAM | 10000400 | helical conveyor | 20/225 | 156/010 | 7 |
| US 4199851 | USPAT | 19800429 | Apparatus for applying | 29/235 | 156/218; | Doherty; Thomas E. |
| Α | | | plastic sleeves to glass | | 156/294 | |
| | | | bottles | | | |
| US 4197948 | USPAT | 19800415 | Nestable foam cup | 206/520 | 229/400 | Amberg; Stephen W. |
| Α | | | | | : | et al. |
| US 4165028 | USPAT | 19790821 | Method for controlling a | 226/4 | 226/118.1; | Doherty; Thomas E. |
| Α | | | web of material | | 226/143; | |
| | | | | | 226/153; | |
| | | | | | 226/43; | |
| | | | | | 226/8 | |
| US 4106397 | USPAT | 19780815 | Pick-up head assembly | 493/105 | | Amberg; Stephen W. |
| Α | | | for use in apparatus for | | | et al. |
| | | | fabricating | | | |
| | | | thermoplastic containers | | | |
| US 4088526 | USPAT | 19780509 | Apparatus for | 156/446 | 156/499 | Amberg; Stephen W. |
| Α | | | fabricating | | | et al. |
| | | | thermoplastic containers | | | |
| US 4084490 | USPAT | 19780418 | Container bottom | 493/363 | 493/369; | Doherty; Thomas E. |
| A | | | cutting apparatus and | | 493/370; | |
| | | | method | | 83/152; | |
| | | | | | 83/23; | |
| | <u> </u> | L | | L | 03/23, | <u> </u> |

| | | | | | 83/336 | 1 |
|-----------------|-------|----------|---|---------|---|---------------------------|
| US 4061153 A | USPAT | 19771206 | Paint roller cleaning apparatus | 134/138 | 134/149; 134/900 | Doherty; Thomas E. |
| US 4053346 A | USPAT | 19771011 | Method and apparatus for forming thermoplastic containers | 156/446 | 156/497; 156/580; 493/107; 493/109; 493/269 | Amberg; Stephen W. et al. |
| US 4030251 A | USPAT | 19770621 | Brush accessory for floor sanders | 451/353 | 493/209 | Boettcher; William A. |
| US 3995740 A | USPAT | 19761207 | Nestable fabricated thermoplastic container | 206/520 | 229/400; D7/521 | Amberg; Stephen W. et al. |
| US 3970492 A | USPAT | 19760720 | Method and apparatus for forming thermoplastic containers | 156/85 | 156/187; 156/189; 156/196; 156/198; 156/215; 156/218; 156/277; 156/285; 156/322; 156/443; 156/446; 156/497; 156/69; 264/230; 264/342R | Amberg; Stephen W. et al. |
| US 3914152 A | USPAT | 19751021 | Machine for producing a plastic-covered glass container | 156/446 | 156/380.9; 156/458; 156/566; 156/567; 156/568; 493/107 | Amberg; Stephen W. et al. |
| US 3903768 A | USPAT | 19750909 | Machine for producing a plastic-covered glass container | 83/24 | 226/108; 226/195; 226/4; 83/100; 83/152; 83/313; 83/371 | Amberg; Stephen W. et al. |
| US 3885825 A | USPAT | 19750527 | Article handling chuck | 294/115 | 198/377.07; 198/680; 198/803.7; 294/87.24; 414/626; 414/753.1 | Amberg; Stephen W. et al. |
| US 3883388 A | USPAT | 19750513 | Machine for producing a plastic-covered glass container | 156/446 | 156/510; 156/567; 493/108; 493/305 | Amberg; Stephen W. et al. |

| US 3873655 A | USPAT | 19750325 | Method of making a plastic-covered glass container | 264/48 | 264/132; 264/146; 264/210.2 | Amberg; Stephen W. et al. |
|-----------------|-------|----------|--|----------|--|---------------------------|
| US 3854583 A | USPAT | 19741217 | NESTABLE FABRICATED THERMOPLASTIC CONTAINER AND METHOD OF FABRICATION SAME | 206/520 | 229/400; D7/523 | Amberg; Stephen W. et al. |
| US 3843316 A | USPAT | 19741022 | MACHINE FOR PRODUCING A PLASTIC-COVERED GLASS CONTAINER | 432/124 | | Amberg; Stephen W. et al. |
| US 3839117 A | USPAT | 19741001 | METHOD OF MAKING A PLASTIC- COVERED GLASS CONTAINER | 156/218 | 156/229; 156/244.13; 156/244.18; 156/277; 156/456; 156/497 | Amberg; Stephen W. et al. |
| US 3822459 A | USPAT | 19740709 | MACHINE FOR PRODUCING A PLASTIC-COVERED GLASS CONTAINER | 29/564.6 | 29/714; 29/773; 29/800 | Amberg; Stephen W. et al. |
| US 3802942 A | USPAT | 19740409 | MACHINE FOR PRODUCING A PLASTIC-COVERED GLASS CONTAINER | 156/443 | 156/196; 156/218; 156/294; 156/446; 156/448; 156/456; 156/458; 156/475; 156/566; 156/566; 156/86 | Amberg; Stephen W. et al. |
| US 3786608 A | USPAT | 19740122 | FLOORING SLEEPER ASSEMBLY | 52/480 | 52/506.1 | Boettcher; William A. |
| US 3767496 A | USPAT | 19731023 | METHOD OF MAKING A PLASTIC- COVERED GLASS CONTAINER | 156/86 | 156/84; 156/85; 215/365; 264/132; 264/342R | Amberg; Stephen W. et al. |
| US 3735497 A | USPAT | 19730529 | FLOORING SPACERS | 33/526 | | Boettcher; William A. |
| US 3632252 A | USPAT | 19720104 | APPARATUS FOR FORMING ARTICLES | 425/168 | 156/224; 264/509; 264/512; 264/522; 264/553; 425/385; 425/388 | Amberg; Stephen W. et al. |

.

| US 3596422 A | USPAT | 19710803 | SECURING MEANS FOR FLOORING | 52/338 | 52/374; 52/376; 52/480 | Boettcher; William A. |
|-----------------|-------|----------|--|----------|---|----------------------------|
| US 3354614 A | USPAT | 19671128 | Dispensing, filling and capping of portion containers [TEXT AVAILABLE IN USOCR DATABASE] | 53/282 | 141/140; 221/221; 53/329.2; 53/557 | ST CLAIR DAVID L et al. |
| US 3018571 A | USPAT | 19620130 | High-traction footwear tread [TEXT AVAILABLE IN USOCR DATABASE] | 36/59C | D2/959 | DOHERTY THOMAS H |
| US 2991516 A | USPAT | 19610711 | Flooring trims [TEXT AVAILABLE IN USOCR DATABASE] | 52/288.1 | 52/782.1 | BOETTCHER WILLIAM A |
| US 2928475 A | USPAT | 19600315 | Aeronautical propeller spinner [TEXT AVAILABLE IN USOCR DATABASE] | 416/94 | | DOHERTY THOMAS E et al. |
| US 2903724 A | USPAT | 19590915 | Device for forming appleat in thermoplastic materials [TEXT AVAILABLE IN USOCR DATABASE] | 12/103 | 12/128R; 223/114 | MELIN RUSSELL M et al. |
| US 2874603 A | USPAT | 19590224 | Nail with frangible extension [TEXT AVAILABLE IN USOCR DATABASE] | 411/482 | 411/923 | BOETTCHER WILLIAM A |
| US 2835290 A | USPAT | 19580520 | Presses for drilling flooring strips [TEXT AVAILABLE IN USOCR DATABASE] | 408/70 | 144/246.1; 408/91 | BOETTCHER WILLIAM A |
| US 2631274 A | USPAT | 19530310 | Annunciator for games [TEXT AVAILABLE IN USOCR DATABASE] | 340/323R | 340/332; 345/82 | DOHERTY THOMAS J et al. |
| US 2464634 A | USPAT | 19490315 | Meat-tendering appliance [TEXT AVAILABLE IN USOCR DATABASE] | 454/237 | 52/199; 52/302.3 | BOETTCHER WILLIAM J F |
| US 2382969 A | USPAT | 19450821 | Floor polishing device [TEXT AVAILABLE IN USOCR DATABASE] | 261/30 | | BOETTCHER WILLIAM A |
| US 2335073 A | USPAT | 19431123 | Pressure actuated switch [TEXT AVAILABLE IN USOCR DATABASE] | 200/82R | 200/83R | ERLE MARTIN et al. |
| US 2226540 A | USPAT | 19401231 | Floor block [TEXT AVAILABLE IN | 52/391 | 52/586.1 | BOETTCHER WILLIAM A F |

| | | | USOCR DATABASE] | | | |
|-----------------|-------|----------|--|---------|------------------------------|----------------------------|
| US 2213897 A | USPAT | 19400903 | Meat-tendering appliance [TEXT AVAILABLE IN USOCR DATABASE] | 452/141 | | BOETTCHER WILLIAM J F |
| US 2022842 A | USPAT | 19351203 | Meat-treating appliance [TEXT AVAILABLE IN USOCR DATABASE] | 452/141 | 83/879 | BOETTCHER WILLIAM J F |
| US 1975630 A | USPAT | 19341002 | Sanding roller [TEXT AVAILABLE IN USOCR DATABASE] | 451/500 | | BOETTCHER WILLIAM A F |
| US 1897305 A | USPAT | 19330214 | Book support [TEXT AVAILABLE IN USOCR DATABASE] | 248/459 | | DOHERTY THOMAS A |
| US 1676775 A | USPAT | 19280710 | Plumber's tool [TEXT AVAILABLE IN USOCR DATABASE] | 81/443 | 29/262; 29/278 | DOHERTY THOMAS P |
| US 1592185 A | USPAT | 19260713 | Braking mechanism [TEXT AVAILABLE IN USOCR DATABASE] | 188/335 | | DOHERTY THOMAS A et al. |
| US 1553889 A | USPAT | 19250915 | Baby carriage [TEXT AVAILABLE IN USOCR DATABASE] | 180/166 | | BOETTCHER WILLIAM A F |
| US 1506616 A | USPAT | 19240826 | Metal-building construction [TEXT AVAILABLE IN USOCR DATABASE] | 52/274 | 52/300; 52/383; 52/518 | DOHERTY THOMAS F |
| US 1441395 A | USPAT | 19230109 | Cue-trimming machine [TEXT AVAILABLE IN USOCR DATABASE] | 144/205 | | BOETTCHER WILLIAM J F |
| US 1386088 A | USPAT | 19210802 | Tool-grinder [TEXT AVAILABLE IN USOCR DATABASE] | 74/606R | 451/360 | BOETTCHER WILLIAM J F |